

PALCO



WHAT WE DO

Palco Flooring is specialized in the application of industrial, commercial and domestic flooring products.

ASSISTANCE & SERVICE

Our goal is to offer the best services for a job perfectly mastered and executed.

Our aim is your satisfaction and contentment.

Always at the front line of its client's needs, Palco Flooring analyses and proposes tailor-made solutions adapted to client's situation and budget, and commits to production deadlines.





MICRO ENGINEERING OVERLAY - MEO



© www.wodc.co.za

STUCCO ITALIANO - Beton Cire concrete creates a smooth and natural finish. Applied on concrete and many other types of surfaces (even directly on tile ceramic), it creates a marbled finish that matures over time.


This product is available in various colours.



MICRO CEMENT



Microbeton is a thin layer of smooth, continuous cement (2 to 3 mm). It is ideal for environments where you are looking for a MICROCEMENT finish, but with a harder finish. It is applicable on all types of hard surfaces. It can be applied on floors, walls, stairs, furniture and others.



The pavistone is an outdoor product ideal for swimming pools. It consists of stones and resin which provides a porous anti-slippery surface. Note that the surface to be covered must have a slope in order to optimize evacuation of the water.

This product is available in various colors.



POLISHED CONCRETE FLOORS



Polished concrete is a cementitious and macadam-based decorative floor covering, created to be polished with sanding equipment, to provide an extremely smooth, glossy, highly resistant surface.

Its main purpose is to provide an extremely durable interior decorative floor and resistant. It is suitable for domestic as well as commercial use, and requires a minimum of maintenance.

Polished concrete can be finished in a variety of ways, because polishing has several steps, so you can choose the level of gloss and the amount of aggregate you want to expose. Note that it is imperative to incorporate fibers in the concrete to avoid shrinkage and ensure solidity.

TERRAFLOOR

The Terra floor is a decorative floor covering made of cement and different types of rocks, created to be polished with sanding equipment, it allows to obtain an extremely smooth highly resistant and easy to maintain surface. Several combination of color and type of rocks are available.



INDUSTRIAL FLOORING

EPOXY & POLYURETHANE FLOORING / SELF LEVELLING & SMOOTHING COMPOUND

FLR -100:

Epoxy paint: Composed of a base and a hardener, epoxy paint can be applied to walls and floors. The surface to cover must be prepared at first and then a layer of primer is applied to the ground. Thereafter 2 layers of epoxy are applied in 2 passes with a drying time between.

SL3:

Self-leveling epoxy: Self-leveling epoxy is only applicable on concrete floors. This one can be applied on different thicknesses which varies between 1mm and 3mm. Highly resistant and durable this product requires a minimum of maintenance. Self-leveling is a product for industrial use but which is beginning to convince many individuals for domestic applications.



PALCO

DIRECTOR OF COMPANIES

Jean-Paul Harel

Tel: (230) 5259 6850

Email: jpharel@palco.intnet.mu

OFFICE

Tel: (230) 211 6609

Fax: (230) 211 5153

Email: reception@palco.intnet.mu

Contacts



palcotrading.com

Jonathan Lagesse

Tel: (230) 5259 6858

Email: jonlagesse@palco.intnet.mu

Patrick Rousset

Tel: (230) 5259 6856

Email: p.rousset@palco.intnet.mu

SALES REPRESENTATIVES

Kovilen Paroomal

Tel: (230) 5256 7770

Email: kovilen@palco.intnet.mu

Ahmad Mittoo

Tel: (230) 5259 6859

Email: amadm@palco.intnet.mu

Jean-Paul Melin

Tel: (230) 5251 0503

Email: jpmelin@palco.intnet.mu

Stephane Orange

Tel: (230) 5252 8651

Email: stephaneo@palco.intnet.mu

Ritesh Seeparsad

Tel: (230)5251 8834

Email: ritesh@palco.intnet.mu



palcowaterproofing.com

Hubert Harel

Tel: (230) 5259 6851

Email: hubharel@palco.intnet.mu

Olivier Mayer (West)

Tel: (230) 5257 8450

Email: omayer@palco.intnet.mu

Joel Julienne (South & Centre)

Tel: (230) 5943 7522

Email: joelj@palco.intnet.mu

Guillaume Jollivet (North)

Tel: (230) 5254 7358

Email: guillaumej@palco.intnet.mu

Fabrice Tyack (East)

Tel: (230) 5259 6854

Email: fabricet@palco.intnet.mu



palcoflooring.com

Jean-François de Robillard

Tel: (230) 5259 6855

Email: jfderob@palco.intnet.mu

Sebastien Labour

Tel: (230) 5943 8549

Email: sebastienl@palco.intnet.mu



tba.fr

Hubert Harel

Tel: (230) 5259 6851

Email: tbamauriceltee@intnet.mu



airstream.mu

François Hardy

Tel: (230) 5259 9405

Email: airstream@intnet.mu

Janot Belle

Tel: (230) 5259 9406

Email: airstream.sales@hotmail.com

Darryl Aubeeluck

Tel: (230) 5257 9407

Email: airstreamsales.01@outlook.com

OFFICE

Tel: (230) 286 1000

Fax: (230) 286 3000

PALCO

www.palcomauritius.com



www.palcowaterproofing.com



www.palcotrading.com



www.palcoflooring.com



www.tba.fr



www.airstream.mu

HEAD OFFICE & SHOWROOM

Allée des Manguiers
Les Pailles - Mauritius
Tel : (230) 211 6609 / Fax : (230) 211 5153
Email : reception@palco.intnet.mu